



Combination spanner OPEN BOX, metric, long

14



Art.No. 40100606
GTIN 4018754019144
Model 14 6



Label.

Combination spanner OPEN BOX long size 6mm L.125mm

Features.

- DIN 3113 Form B/ISO 7738 Form B
- Chrome Alloy Steel, chrome plated

Advantages.

Made in Germany – STAHLWILLE Combination spanner OPEN BOX, metric, long 6 mm, open end 15 °angled, length 125 mm, DIN 3113 Form B, , 40100606

Special manufacturing process allows for thin-walled rings – perfect for screwing in hard-to-reach places

Extremely resilient and durable – stronger than any screw

High-quality, non-slip surface texture – for safe working even with oily hands

Robust Chrome-Alloy-Steel gives the combination spanner high durability and wear resistance.

Product highlights.



Double T-profile.

The double T-profile used for the STAHLWILLE open-jaw and ring spanners saves material where it is not needed and guarantees two things at once: peak dimensional stability and extremely low weight, whichever spanner size you pick up. As a result, tool-kits from STAHLWILLE weigh considerably less. But that is not all: the double T-profile from STAHLWILLE fits snugly in the hand, allows fatiguefree working and can be gripped comfortably and safely. This also increases user safety.



More robust.

When force is applied to a spanner, the greatest force acts on the area between the jaw and the shank, which is why STAHLWILLE spanners are reinforced at this point. The special design makes the load zones more resilient, which reduces the risk of breakage to a minimum.



More Choice.

As one of only a few manufacturers, STAHLWILLE offers a comprehensively diverse range of metric, imperial, spline drive and TORX® spanners.



Slimmer.

Extremely thin-walled rings facilitate work in confined spaces. In addition, the rings are higher than standard nuts – which prevents the spanner seizing on the nut.



More Accurate.

Our very tight manufacturing tolerances and reproducible dimensional accuracy ensure that one STAHLWILLE spanner is as close-fitting as the next. In this way, both open-jaw and ring spanners will always firmly hug the fastener head – for excellent power-lock.

Technologies and features.




Anti-Slip-Drive

The AS-Drive® profile enables high force transmission without damaging the fasteners. While the force acts on the flats of the screws, the corners are left free and are not rounded off.



High Performance Quality (HPQ®)

High-performance steel, extremely resilient, yet thin-walled and ideal for working in confined spaces.



Double T-profile.


The double T-profile used for the STAHLWILLE open-jaw and ring spanners saves material where it is not needed and guarantees two things at once: peak dimensional stability and extremely low weight, whichever spanner size you pick up. As a result, tool-kits from STAHLWILLE weigh considerably less. But that is not all: the double T-profile from STAHLWILLE fits snugly in the hand, allows fatigue-free working and can be gripped comfortably and safely. This also increases user safety.



Shaft Offset Design

As the greatest forces act on the connection between the jaw and the shaft, this area is enforced at STAHLWILLE. The special design makes the stress zones more stable - and thus reduces the risk of breakage to a minimum.

Technical Drawing.



Technical Attributes.

a1	4,5 mm
a2	6 mm
Width mm (b)	14 mm
d	9,5 mm
DIN	DIN 3113 Form B
Length mm (L)	125 mm
Offset angle	15 °
Size [mm]	6 mm
Size 1 [mm]	6 mm
Size 2 [mm]	6 mm
t	7 mm

Logistics data.

Length (IFS)	125
Width (IFS)	15
Height (IFS)	8
Length (packed, mm)	128
Width (packed, mm)	41
Height (packed, mm)	23
Volume (packed, mm)	0.120704 dm ³
Code	40100606
Weight (gross, kg)	0,180
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754019144
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/Electrical Act	nicht ear-pflichtig
Customs tariff no.	82041100
Numbers of content units per order units	10
Weight	18 g

Variants.

Code	Article number (ERP)	Article description (Autom._)	GTIN
40100606	14 6	Combination spanner OPEN BOX long size 6mm L.125mm	4018754019144

40100707	14 7	Combination spanner OPEN BOX long size 7mm L.135mm	4018754019151
40100808	14 8	Combination spanner OPEN BOX long size 8mm L.145mm	4018754019168
40100909	14 9	Combination spanner OPEN BOX long size 9mm L.155mm	4018754019175
40101010	14 10	Combination spanner OPEN BOX long size 10mm L.165mm	4018754019182
40101111	14 11	Combination spanner OPEN BOX long size 11mm L.180mm	4018754019199
40101212	14 12	Combination spanner OPEN BOX long size 12mm L.180mm	4018754019205
40101313	14 13	Combination spanner OPEN BOX long size 13mm L.195mm	4018754019212
40101414	14 14	Combination spanner OPEN BOX long size 14mm L.210mm	4018754019229
40101515	14 15	Combination spanner OPEN BOX long size 15mm L.215mm	4018754019236
40101616	14 16	Combination spanner OPEN BOX long size 16mm L.230mm	4018754019243
40101717	14 17	Combination spanner OPEN BOX long size 17mm L.240mm	4018754019250
40101818	14 18	Combination spanner OPEN BOX long size 18mm L.255mm	4018754019267
40101919	14 19	Combination spanner OPEN BOX long size 19mm L.265mm	4018754019274
40102020	14 20	Combination spanner OPEN BOX long size 20mm L.280mm	4018754019281
40102121	14 21	Combination spanner OPEN BOX long size 21mm L.280mm	4018754019298
40102222	14 22	Combination spanner OPEN BOX long size 22mm L.300mm	4018754019304
40102424	14 24	Combination spanner OPEN BOX long size 24mm L.330mm	4018754019328
40102727	14 27	Combination spanner OPEN BOX long size 27mm L.385mm	4018754019359
40103030	14 30	Combination spanner OPEN BOX long size 30mm L.415mm	4018754019373
40103232	14 32	Combination spanner OPEN BOX long size 32mm L.430mm	4018754019380
40103434	14 34	Combination spanner OPEN BOX long size 34mm L.460mm	4018754019397
40103636	14 36	Combination spanner OPEN BOX long size 36mm L.480mm	4018754019403
40104141	14 41	Combination spanner OPEN BOX long size 41mm L.560mm	4018754019410

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal