



## Double ended ring spanner, metric

21



Art.No. 41051819  
GTIN 4018754021345  
Model 21 18 X 19



**Label.** Double ended ring spanner size 18 x 19mm L.210mm

**Features.** StahlwilleSTABIL®

- straight
- DIN 837/ISO 10103
- Chrome Alloy Steel, chrome plated

## Advantages.

Straight

STAHLWILLE: For over 160 years, we as a traditional German company from Wuppertal have stood for tools that are appreciated around the world for their excellent quality

## Product highlights.



### More Choice.

As one of only a few manufacturers, STAHLWILLE offers a comprehensively diverse range of metric, imperial, spline drive and TORX® spanners.



### Slimmer.

Extremely thin-walled rings facilitate work in confined spaces. In addition, the rings are higher than standard nuts – which prevents the spanner seizing on the nut.

### More Accurate.

Our very tight manufacturing tolerances and reproducible dimensional accuracy ensure that one STAHLWILLE spanner is as close-fitting as the next. In this way, both open-jaw and ring spanners will always firmly hug the fastener head – for excellent power-lock.



## Technologies and features.



### Anti-Slip-Drive

The AS-Drive® profile enables high force transmission without damaging the fasteners. While the force acts on the flats of the screws, the corners are left free and are not rounded off.



### High Performance Quality (HPQ®)

High-performance steel, extremely resilient, yet thin-walled and ideal for working in confined spaces.



### Double T-profile.

The double T-profile used for the STAHLWILLE open-jaw and ring spanners saves material where it is not needed and guarantees two things at once: peak dimensional stability and extremely low weight, whichever spanner size you pick up. As a result, tool-kits from STAHLWILLE weigh considerably less. But that is not all: the double T-profile from STAHLWILLE fits snugly in the hand, allows fatigue-free working and can be gripped comfortably and safely. This also increases user safety.

## Technical Drawing.



## Technical Attributes.

|                       |                         |
|-----------------------|-------------------------|
| <b>Output profile</b> | Double hexagon AS-drive |
| <b>Length mm (L)</b>  | 210 mm                  |
| <b>Size 1 [mm]</b>    | 18 mm                   |
| <b>Size 2 [mm]</b>    | 19 mm                   |

## Logistics data.

|                                                 |                     |
|-------------------------------------------------|---------------------|
| <b>Length (IFS)</b>                             | 185                 |
| <b>Width (IFS)</b>                              | 27                  |
| <b>Height (IFS)</b>                             | 10                  |
| <b>Length (packed, mm)</b>                      | 200                 |
| <b>Width (packed, mm)</b>                       | 70                  |
| <b>Height (packed, mm)</b>                      | 47                  |
| <b>Volume (packed, mm)</b>                      | 0.658 dm3           |
| <b>Code</b>                                     | 41051819            |
| <b>Weight (gross, kg)</b>                       | 0,840               |
| <b>Weight PAP (kg)</b>                          | 0,000               |
| <b>Weight PVC (kg)</b>                          | 0,009               |
| <b>GTIN</b>                                     | 4018754021345       |
| <b>Country of origin</b>                        | GERMANY             |
| <b>Region of origin</b>                         | Nordrhein-Westfalen |
| <b>WEEE/Electrical Act</b>                      | nicht ear-pflichtig |
| <b>Customs tariff no.</b>                       | 82041100            |
| <b>Numbers of content units per order units</b> | 10                  |
| <b>Weight</b>                                   | 84 g                |

## Variants.

| Code     | Article number (ERP) | Article description (Autom._)                    | GTIN          |
|----------|----------------------|--------------------------------------------------|---------------|
| 41050607 | 21 6 X 7             | Double ended ring spanner size 6 x 7mm L.100mm   | 4018754021222 |
| 41050809 | 21 8 X 9             | Double ended ring spanner size 8 x 9mm L.115mm   | 4018754021239 |
| 41050810 | 21 8 X 10            | Double ended ring spanner size 8 x 10mm L.115mm  | 4018754021246 |
| 41051011 | 21 10 X 11           | Double ended ring spanner size 10 x 11mm L.150mm | 4018754021253 |
| 41051213 | 21 12 X 13           | Double ended ring spanner size 12 x 13mm L.170mm | 4018754021260 |
| 41051317 | 21 13 X 17           | Double ended ring spanner size 13 x 17mm L.165mm | 4018754021291 |
| 41051415 | 21 14 X 15           | Double ended ring spanner size 14 x 15mm L.170mm | 4018754021307 |
| 41051617 | 21 16 X 17           | Double ended ring spanner size 16 x 17mm L.185mm | 4018754021314 |

|          |            |                                                  |               |
|----------|------------|--------------------------------------------------|---------------|
| 41051719 | 21 17 X 19 | Double ended ring spanner size 17 x 19mm L.185mm | 4018754021338 |
| 41051819 | 21 18 X 19 | Double ended ring spanner size 18 x 19mm L.210mm | 4018754021345 |
| 41051821 | 21 18 X 21 | Double ended ring spanner size 18 x 21mm L.210mm | 4018754021352 |
| 41051922 | 21 19 X 22 | Double ended ring spanner size 19 x 22mm L.210mm | 4018754021369 |
| 41052022 | 21 20 X 22 | Double ended ring spanner size 20 x 22mm L.210mm | 4018754021376 |
| 41052124 | 21 21 X 24 | Double ended ring spanner size 21 x 24mm L.235mm | 4018754021390 |
| 41052427 | 21 24 X 27 | Double ended ring spanner size 24 x 27mm L.290mm | 4018754021406 |
| 41052732 | 21 27 X 32 | Double ended ring spanner size 27 x 32mm L.320mm | 4018754085187 |
| 41053032 | 21 30 X 32 | Double ended ring spanner size 30 x 32mm L.325mm | 4018754021420 |
| 41053034 | 21 30 X 34 | Double ended ring spanner size 30 x 34mm L.325mm | 4018754021437 |

## GTIN-Code.



### STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal