

YOUR ONE-STOP SHOP. THE TTS93

At STAHLWILLE, we do not make compromises. That is why our latest tool trolley model - the TTS93 - offers many of the features from the well-known TTS series. Includes individually attachable paper roll holder for paper rolls up to 30 cm wide.



TTS93
Also available
without the tools

Code 81 20 01 54

100%

All the drawers can be **fully extended**. Use of STAHLWILLE's standard TCS inlays or the variable drawer dividers ensures a clear overview and easy tool removal.



Oil and acid-resistant smooth-running wheels (ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with **two parking brakes**.



High static load capacity of up to **500 kg**. The bottom drawer has a load capacity of up to **45 kg!**



Central locking with a cylinder lock and **fold-down key**. It is not possible to pull out more than one drawer at a time, making the Tool Trolley, in effect, **topple-proof**.

AS INDIVIDUAL AS YOU ARE.

Every job is different. That's why we offer you the TTS93 in three different configurations: with a 130-pce., 157-pce. or 250-pce. set of premium tools.

OPTION 1



TTS93
incl. 130-pce. set
of premium tools


Code 98 83 01 77

1/4"
1/2"



No	Contents (one off each)
40	Sockets , 1/4", 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
52	Sockets , 1/2", 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
405/2	Extension , 1/4", 54 mm
405/6	Extension , 1/4", 150 mm
415	Ratchet , 1/4"
509/5	Extension , 1/2", 130 mm
512	Ratchet , 1/2"
6529 3 200	Snipe-nose pliers , 200 mm
6551 6 240	Slip-joint pliers , 240 mm
6602 5 160	Heavy-duty side-cutters , 160 mm
4008-1	Ratcheting bit holder
3116	Bit adaptor
412	Bit holder , 1/4"
102/150	Flat cold chisel , 150 mm
10961	Engineer's hammer , 500 g
12320	Electrician's penknife

No	Contents (one off each)
1206	Bit set , 1/4", 56-pce. set: bit holder, with quick release and magnet, length: 65 mm L 25 mm: SL 4; 5; 6 mm (2 x) PH 1; 2; 3 (3 x) PZ 1; 2; 3 (3 x) T 10; 15; 20; 25; 27; 30; 40 (2 x) TBO 10; 15; 20; 25; 27; 30; 40 INHEX 3; 4; 5 mm L 75 mm: SL 6 mm PH 2; 3 PZ 1; 2 T 20; 25
13	Combined open-jaw & ring spanners , 6; 7; 8; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 22; 24 mm
13111	Wooden folding rule , 2 m
12600	Magnetic lifter , 270 g
10765/9	Hexagon key wrenches , 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
4620	Flat-bladed screwdriver DRALL+ , size 2 (0.8 x 4.0 x 100 mm)
4628	Electrician's flat-bladed screwdriver DRALL+ , size 1 (0.4 x 2.5 x 60 mm)
4630	Phillips® screwdrivers DRALL+ , PH1; PH2
4650	TORX® screwdrivers DRALL+ , T15; T20; T25



Now NEW in
red and blue!
(only without tools)


OPTION 2



TTS93
incl. 157-pce. set
of premium tools

Code 98 83 01 78

1/4"
1/2"
QR




No	Contents (one off each)
40	Sockets , 1/4", 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
52	Sockets , 1/2", 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
405QR	QR extensions , 1/4", 54; 150 mm
415QR N	QR fine-tooth ratchet , 1/4"
412	Bit holder , 1/4"
3116	Bit adaptor
509QR	QR extensions , 1/2", 130; 255 mm
512QR N	QR fine-tooth ratchet , 1/2"
410	Square-drive adapter , 1/4" to 1/2"
513	Square-drive adapter , 1/2" to 3/8"
4008	Ratcheting bit-holders , sizes 1; 2
4007	Bit holder , 1/4"
1206	Bit set , 1/4", 56-pce. set: bit holder, with quick release and magnet, length: 65 mm L 25 mm: SL 4; 5; 6 mm (2 x) PH 1; 2; 3 (3 x) PZ 1; 2; 3 (3 x) T 10; 15; 20; 25; 27; 30; 40 (2 x) TBO 10; 15; 20; 25; 27; 30; 40 INHEX 3; 4; 5 mm L 75 mm: SL 6 mm PH 2; 3 PZ 1; 2 T 20; 25
6551 6 240	Slip-joint pliers , 240 mm
6602 5 160	Heavy-duty side-cutters , 160 mm
6529 3 200	Snipe-nose pliers , 200 mm
6501 3 180	Combination pliers , 180 mm
13	Combined open-jaw & ring spanners , 6; 7; 8; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm

No	Contents (one off each)
4025	Adjustable spanner , 10
17F	Ratchet combination spanners , 8; 10; 13; 17; 19 mm
4628	Electrician's flat-bladed screwdriver DRALL+ , size 1 (0.4 x 2.5 x 60 mm)
4620	Flat-bladed screwdriver DRALL+ , size 2 (0.8 x 4.0 x 100 mm); size 6 (1.6 x 10.0 x 200 mm)
4630	Phillips® screwdrivers DRALL+ , PH1; PH2; PH3
12320	Electrician's penknife
12935	Tape measure , 3 m
12600	Mini magnetic lifter , 270 g
13111	Wooden folding rule , 2 m
10771/8	Set of ball-end hexagon key wrenches TORX® , T9; T10; T15; T20; T25; T27; T30; T40
10765/9	Set of hexagon key wrenches , 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
10961	Engineer's hammer , 500 g
10959	Soft-faced deadblow mallet , 35 mm
102/175	Flat cold chisel , flat oval, 175 mm
108/150	Pin punch , octagonal, 150 x 6 mm
105/100	Centre punch , octagonal, 100 x 10 mm
109/6	Pin punch , 3,4 mm
104/120	Drift punch , octagonal, 120 x mm



Für alle, die mehr wollen.
Der Einsatz der Top Box auf
dem TTS93 Werkstattwagen.
Für noch mehr Staufläche.

Code 81200157





TTS93 incl. 250-pce. set of premium tools

Code 98 83 01 80



1/4"

1/2"

QR

No	Contents (one off each)
40	Sockets , 1/4", 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
52	Sockets , 1/2", 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
405QR	QR extensions , 1/4", 54; 150 mm
415QR N	QR fine-tooth ratchet , 1/4"
412	Bit holder , 1/4"
3116	Bit adaptor
509QR	QR extensions , 1/2", 130; 255 mm
512QR N	QR fine-tooth ratchet , 1/2"
410	Square-drive adapter , 1/4" to 1/2"
513	Square-drive adapter , 1/2" to 3/8"
4008	Ratcheting bit-holders , sizes 1; 2
4007	Bit holder , 1/4"
	Bit set , 1/4", 56-pce. set: bit holder, with quick release and magnet, length: 65 mm L 25 mm: SL 4; 5; 6 mm (2 x) PH 1; 2; 3 (3 x) PZ 1; 2; 3 (3 x) T 10; 15; 20; 25; 27; 30; 40 (2 x) TBO 10; 15; 20; 25; 27; 30; 40 INHEX 3; 4; 5 mm L 75 mm: SL 6 mm PH 2; 3 PZ 1; 2 T 20; 25
6551 6 240	Slip-joint pliers , 240 mm
6602 5 160	Heavy-duty side-cutters , 160 mm
6529 3 200	Snipe-nose pliers , 200 mm
6501 3 180	Combination pliers , 180 mm
13	Combined open-jaw & ring spanners , 6; 7; 8; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm
4025	Adjustable spanner , 10
17F	Ratchet combination spanners , 8; 10; 13; 17; 19 mm
4628	Electrician's flat-bladed screwdriver DRALL⁺ , size 1 (0.4 x 2.5 x 60 mm)
4620	Flat-bladed screwdriver DRALL⁺ , size 2 (0.8 x 4.0 x 100 mm); size 6 (1.6 x 10.0 x 200 mm)
4630	Phillips[®] screwdrivers DRALL⁺ , PH1; PH2; PH3
12320	Electrician's penknife
12935	Tape measure , 3 m
12600	Mini magnetic lifter , 270 g
13111	Wooden folding rule , 2 m
10771/8	Set of ball-end hexagon key wrenches TORX[®] , T9; T10; T15; T20; T25; T27; T30; T40
10765/9	Set of hexagon key wrenches , 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

No	Contents (one off each)
10961	Engineer's hammer , 500 g
10959	Soft-faced deadblow mallet , 35 mm
102/175	Flat cold chisel , flat oval, 175 mm
108/150	Pin punch , octagonal, 150 x 6 mm
105/100	Centre punch , octagonal, 100 x 10 mm
109/6	Pin punch , 3.4 mm
104/120	Drift punch , octagonal, 120 x mm
6543	Circlip pliers , J2
6544	Circlip pliers , J21
6545	Circlip pliers , A2
6546	Circlip pliers , A21
900/6 T	Set of screw extractors , 6-pce. set
12800	Set of warding files , 6-pce. set
12036	Engineering file , flat, 260 mm
12718	Flat scraper
12965N	Safety knife
12377	Wire brush
13110	Steel rule , 300 mm
12050	Hacksaw frame
12322	Scribing iron
13148	Wire cutter
11095/20	Set of precision feeler gauges , 0.05; 0.10; 0.15; 0.20; 0.25; 0.30; 0.35; 0.40; 0.45; 0.50; 0.55; 0.60; 0.65; 0.70; 0.75; 0.80; 0.85; 0.90; 0.95; 1.00 mm
12	Double-ended open-jaw spanners , 3.2; 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
14	Combination spanners , 6; 8; 10; 13; 14; 17; 19; 21; 22; 24; 27; 30; 32 mm
54TX	Screwdriver sockets TORX[®] , 1/2", T20; T25; T27; T30; T40; T45; T50; T55; T60
54	Screwdriver bits , 1/2", 4; 5; 6; 7; 8; 10; 12; 14; 17; 19 mm
1054TX	Screwdriver sockets TORX[®] , 1/2", T30; T50
1054/8K	Screwdriver sockets , 1/2", 8 mm
2054/6	Screwdriver sockets , 1/2", 6 mm
44	Screwdriver bits , 1/4", 3; 4; 5; 6 mm
44KTX	Screwdriver sockets TORX[®] , 1/4", T8; T10; T15; T20; T25; T27; T30; T40;
44K	INHEX screwdriver inserts , 3; 4; 5; 6; 8 mm

STAHLWILLE Eduard Wille GmbH & Co. KG · Lindentallee 27 · 42349 Wuppertal · Germany
Tel.: +49 202 4791-0 · Fax: +49 202 4791-200 · info@stahlwille.de · www.stahlwille.de