



## Socket

51S

Art.No. **03240022**  
GTIN **4018754007189**  
Model **51 S 22**



**Label.** 1/2" Socket size 22mm L.83mm

**Features.**

- extra deep
- DIN 3124/ISO 2725-1, DIN EN 3710, DIN EN 3709 (test loads)
- HPQ® high performance steel, chrome plated

## Advantages.

**Long** STAHLWILLE: For over 160 years, we as a traditional German company from Wuppertal have stood for tools that are appreciated around the world for their excellent quality


## Product highlights.



### CONVENIENT.

Do you need empty cases? If so, include the appropriate hard-foam inlays from STAHLWILLE in your order. Together with the new tool cases, they ensure an exact fit and, as a result, excellent protection for your tools.

## Technical Drawing.



## Technical Attributes.

Output profile	Hexagon AS drive
Drive square internal (inch)	1/2"
d1	29,7 mm
d2	27,5 mm
d3	21 mm
Length mm (L)	83 mm
Size [mm and Inch]	22
t1	35 mm
t2	65,9 mm

## Logistics data.

Length (IFS)	83
Width (IFS)	30
Height (IFS)	30
Length (packed, mm)	152
Width (packed, mm)	85
Height (packed, mm)	61
Volume (packed, mm)	0.78812 dm <sup>3</sup>
Code	03240022
Weight (gross, kg)	2,460
Weight PAP (kg)	0,000
Weight PVC (kg)	0,010
GTIN	4018754007189
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/Electrical Act	nicht ear-pflichtig
Customs tariff no.	82042000
Numbers of content units per order units	10
Weight	210 g

## Variants.

Code	Article number (ERP)	Article description (Autom._)	GTIN
03240017	51 S 17	1/2" Socket size 17mm L.83mm	4018754007165
03240019	51 S 19	1/2" Socket size 19mm L.83mm	4018754007172

03240022	51 S 22	1/2" Socket size 22mm L.83mm	4018754007189
03240208	51 S 20,8	1/2" Socket size 20,8-13/16mm/" L.83mm	4018754007196

## GTIN-Code.



### **STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal