



## Puller, three-armed

**11351**

Art.No. **71035101**  
GTIN **4018754342051**  
Model **11351/1 Abzieher, 3armig**  
**160x130mm**

**Label.** Puller Clamping w.160mm x Clamping d.130mm

- Features.**
- three-armed, with self-centering puller arms
  - for extracting gears, ball bearings, pulleys and similar parts from a shaft or axle
  - for extracting ball bearings, ball bearing outer rings and bushes from bores
  - nitrided spindle, no oiling necessary, maintenance-free
  - galvanized
  - puller hooks can be used on both sides

## Advantages.

For quick and reliable removal of gears, ball bearings, pulleys and for extracting the outer rings of ball bearings and bushings from drilled holes.

The nitrided surface of the pressure spindle provides excellent sliding properties and does not require additional oiling.

## Product highlights.




### **For improved safety.**

Designed with practical applications in mind, drop forged, precision machined on the latest machine tools, hardened and tempered: the STAHLWILLE puller range offers numerous products for a wide variety of applications. For example, standard pullers, cell terminal pullers, ejectors, counter stays, ball joint pullers and wheel hub pullers. Made, of course, in Germany as premium quality tools.




**Reliable.**

Excellent running characteristics of the thread itself thanks to high-grade hardening and tempering and the special coatings on the thrust spindles.



**More robust.**

High flexural strength thanks to legs with accurately calculated profiles and smooth, milled guides.



**Resilient.**


Heavy-duty extractor hooks made of oilhardened chrome vanadium steel with special-purpose access geometry for use in tight spaces. Radii adapted for shafts and axles.



**Safe.**

To prevent damage to shafts, the centre is fitted in a freely-swivelling mount.

**Technical Drawing.**



**Technical Attributes.**

External hex drive (mm)	19 mm
Thickness of hook base tip mm (a)	3 mm
Hook base width mm (b)	24 mm
Hook base depth mm (c)	12 mm
Size	1

**Logistics data.**

Depth mm (IFS)	215
Width mm (IFS)	160
Height mm (IFS)	140
Length (packed, mm)	225
Width (packed, mm)	175
Height (packed, mm)	153

<b>Number of hooks</b>	3	<b>Volume (packed, dm3)</b>	6.024375 dm3
<b>max. load</b>	7,5 t	<b>Art. no.</b>	71035101
<b>Clamping depth (h) mm</b>	130 mm	<b>Weight (gross, kg)</b>	2,574
<b>Spindle thread size</b>	M18 x 1,5 x 170	<b>Weight PAP (kg)</b>	0,178
<b>Clamping width mm (w)</b>	160 mm	<b>Weight PVC (kg)</b>	0,000
		<b>GTIN</b>	4018754342051
		<b>Country of origin</b>	GERMANY
		<b>Region of origin</b>	Nordrhein-Westfalen
		<b>WEEE/ElektroG</b>	nicht ear-pflichtig
		<b>Customs tariff no.</b>	82055980
		<b>Packing standard</b>	1
		<b>Weight</b>	2600 g

## Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
71035101	11351/1 Abzieher, 3armig 160x130mm	Puller Clamping w.160mm x Clamping d.130mm	4018754342051
71035102	11351/2 Abzieher, 3armig 220x170mm	Puller Clamping w.220mm x Clamping d.170mm	4018754342068

## GTIN-Code.



## Spare parts/spare part for.



79281006

## Images.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal