


Standard MANOSKOP® torque wrenches w. permanently installed ratchet

721/20 Quick



Art.No. 50204020
GTIN 4018754268931
Model 721/20 QUICK

Label. MANOSKOP® torque wrench No. 721/20 Quick Measuring r. 40-200N·m Drive 1/2 L. 483mm

- Features.**
- click-type
 - the measuring element is only under load while force is being applied, no need for manual reset to zero
 - rapid setting thanks to easy-action locking lever in the handle
 - ergonomically designed, non-slip adjuster with a thumb recess
 - dual stop signal
 - twin scales N·m/ft·lb
 - optimised convex handle for strain-free working
 - any force applied to the tool after the 'click' or applied in the opposite direction to the current function – e.g. forcible loosening of a jammed screw - does not act on the trigger mechanism and cannot cause damage to it
 - all the sensitive components are protected by the sturdy tubular steel housing
 - calibration using perfectControl® calibrating unit No 7794 or calibration system No 7706. Readjustment does not require disassembly
 - certificate in accordance with DIN EN ISO 6789-2:2017
 - **display deviation value $\pm 4\%$**

Advantages.

Made in Germany – STAHLWILLE release torque wrench, ratchet with punch square, length 483 mm, with calibration certificate (DIN EN ISO 6789-2:2017), 50204020.

Lightning-fast and precise torque adjustment.

Patented, low-wear release system with bending rod.

Continued loading after release or loading in the opposite functional direction will not damage the torque wrench.

Product highlights.



Flexible rod principle.

Mechanical torque wrenches from STAHLWILLE have a wear-resistant trigger system with a flexible rod. In contrast to conventional torque wrenches with spiral springs, the STAHLWILLE system eliminates one key work step: once the fastener has been tightened, it is not necessary to reset the wrench to »0«.



Fast.



Rapid setting thanks to the easy-action locking lever in the handle. Ergonomically designed, non-slip adjuster with a thumb recess for fast, safe setting of the slider.



Simple.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.

Technical Drawing.



Technical Attributes.

Measuring range N·m	40-200 N·m
Measuring range ft·lb	30-145 ft·lb
External square drive (inch)	1/2
b1	28 mm
b2	41 mm
Size	20
Height mm (h1)	23 mm
Height mm (h2)	18 mm
Length mm (L)	483 mm
LF	418 mm
MA N·m	40 N·m
Nominal value N·m	200 N·m
Scale division [E1]	5 N·m

Logistics data.

Depth mm (IFS)	490
Width mm (IFS)	45
Height mm (IFS)	45
Length (packed, mm)	510
Width (packed, mm)	51
Height (packed, mm)	51
Volume (packed, dm ³)	1.32651 dm ³
Art. no.	50204020
Weight (gross, kg)	1,475
Weight PAP (kg)	0,000
Weight PVC (kg)	0,110
GTIN	4018754268931
Country of origin	GERMANY

Scale division [E2]	5 ft·lb	Region of origin	Nordrhein-Westfalen
		WEEE/ElektroG	nicht ear-pflichtig
		Customs tariff no.	82041100
		Packing standard	1
		Weight	1349 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
50204005	721/5 QUICK	MANOSKOP® torque wrench No. 721/5 Quick Measuring r. 6-50N·m Drive 3/8 L. 352mm	4018754268917
50204015	721/15 QUICK	MANOSKOP® torque wrench No. 721/15 Quick Measuring r. 30-150N·m Drive 1/2 L. 452mm	4018754268924
50204020	721/20 QUICK	MANOSKOP® torque wrench No. 721/20 Quick Measuring r. 40-200N·m Drive 1/2 L. 483mm	4018754268931
50204030	721/30 QUICK	MANOSKOP® torque wrench No. 721/30 Quick Measuring r. 60-300N·m Drive 1/2 L. 553mm	4018754268948

GTIN-Code.



Spare parts/spare part for.



19040000
Ratchet spare parts
sets for torque
wrenches No.721

Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal