

IMPACT socket

2509



Art.No. 25090027
GTIN 4018754015900
Model 2509 27

Label. IMPACT socket 3/4 " 27mm L.100mm

- Features.**
- 3/4" #a;-drive
 - for power drivers
 - extra deep
 - with reduced diameter
 - Chrome Alloy Steel, gunmetal finish

Advantages.

3/4" inner square drive.

Product highlights.



Resilient.

IMPACT sockets are made from high-grade chrome alloy steel. They are hardened in an oil bath to ensure they are normalised and non-warping, making them extremely accurate tools with very close tolerances.



Optimized functionality.


All IMPACT sockets have a straight-through central bore for the locking pin and a deep groove for the O-ring to improve grip. The locking pin is not under load during use.



High fitting accuracy.

The remarkable fitting accuracy, which is due to very tight tolerances, guarantees minimum loss of force as the impact is transferred from the impact screwdriver to the socket insert and also guarantees dramatically improved durability.

Technical Drawing.



Technical Attributes.

Drive profile	hex
Internal square drive (inch)	3/4 "
d1	40,5 mm
d2	44 mm
Length mm (L)	100 mm
Width across flats [mm]	27 mm
t	72,5 mm

Logistics data.

Depth mm (IFS)	100
Width mm (IFS)	45
Height mm (IFS)	45
Length (packed, mm)	110
Width (packed, mm)	80
Height (packed, mm)	55
Volume (packed, dm3)	0.484 dm3
Art. no.	25090027
Weight (gross, kg)	1,344
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
GTIN	4018754015900
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Packing standard	2
Weight	672 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
25090027	2509 27	IMPACT socket 3/4 " 27mm L.100mm	4018754015900
25090030	2509 30	IMPACT socket 3/4 " 30mm L.100mm	4018754015917
25090032	2509 32	IMPACT socket 3/4 " 32mm L.100mm	4018754015924
25090033	2509 33	IMPACT socket 3/4 " 33mm L.100mm	4018754015931

GTIN-Code.



Accessories.



39023540
Connecting pin



39013650
Rubber ring