

## IMPACT socket

### 66IMP



Art.No. 26020024  
GTIN 4018754016402  
Model 66 IMP 24

**Label.** IMPACT socket 1 " 24mm L.110mm

**Features.**

- 1" square drive
- ISO 1711-2
- for power drivers
- extra deep
- Chrome Alloy Steel, gunmetal finish

## Advantages.

1" inner square drive.

## Product highlights.



### Resilient.

IMPACT sockets are made from high-grade chrome alloy steel. They are hardened in an oil bath to ensure they are normalised and non-warping, making them extremely accurate tools with very close tolerances.



### Optimized functionality.


All IMPACT sockets have a straight-through central bore for the locking pin and a deep groove for the O-ring to improve grip. The locking pin is not under load during use.



### High fitting accuracy.

The remarkable fitting accuracy, which is due to very tight tolerances, guarantees minimum loss of force as the impact is transferred from the impact screwdriver to the socket insert and also guarantees dramatically improved durability.

## Technical Drawing.



## Technical Attributes.

|                              |         |
|------------------------------|---------|
| Drive profile                | hex     |
| Internal square drive (inch) | 1 "     |
| d1                           | 41,5 mm |
| d2                           | 54 mm   |
| Length mm (L)                | 110 mm  |
| Width across flats [mm]      | 24 mm   |
| t                            | 80 mm   |

## Logistics data.

|                      |                     |
|----------------------|---------------------|
| Depth mm (IFS)       | 110                 |
| Width mm (IFS)       | 55                  |
| Height mm (IFS)      | 55                  |
| Length (packed, mm)  | 111                 |
| Width (packed, mm)   | 111                 |
| Height (packed, mm)  | 56                  |
| Volume (packed, dm3) | 0.689976 dm3        |
| Art. no.             | 26020024            |
| Weight (gross, kg)   | 2,862               |
| Weight PAP (kg)      | 0,000               |
| Weight PVC (kg)      | 0,009               |
| GTIN                 | 4018754016402       |
| Country of origin    | GERMANY             |
| Region of origin     | Nordrhein-Westfalen |
| WEEE/ElektroG        | nicht ear-pflichtig |
| Customs tariff no.   | 82042000            |
| Packing standard     | 2                   |
| Weight               | 1431 g              |

## Variants.

| Art. no. | Art. no. (ERP) | Description                    | GTIN          |
|----------|----------------|--------------------------------|---------------|
| 26020024 | 66 IMP 24      | IMPACT socket 1 " 24mm L.110mm | 4018754016402 |
| 26020027 | 66 IMP 27      | IMPACT socket 1 " 27mm L.110mm | 4018754016419 |
| 26020030 | 66 IMP 30      | IMPACT socket 1 " 30mm L.110mm | 4018754016426 |
| 26020032 | 66 IMP 32      | IMPACT socket 1 " 32mm L.110mm | 4018754016433 |
| 26020033 | 66 IMP 33      | IMPACT socket 1 " 33mm L.110mm | 4018754016440 |
| 26020036 | 66 IMP 36      | IMPACT socket 1 " 36mm L.110mm | 4018754016457 |
| 26020038 | 66 IMP 38      | IMPACT socket 1 " 38mm L.110mm | 4018754016464 |
| 26020041 | 66 IMP 41      | IMPACT socket 1 " 41mm L.110mm | 4018754016471 |
| 26020046 | 66 IMP 46      | IMPACT socket 1 " 46mm L.110mm | 4018754016488 |

## GTIN-Code.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal