



## Wheel-fitting set

## 721QR/20/3/1 Quick

Art.No. 96507214

GTIN **4018754283217** 

Model 721QR/20/3/1 QUICK



Label. Wheel-fitting set No. 721QR/20/3/1 Quick 5 pcs.

Features. • in sturdy plastic box

Content 5 pieces:

1 #ü;standard MANOSKOP® No 721QR/20 Quick, 40-200 N·m, 30 - 150 ft·lb, with

permanently installed QuickRelease ratchet, reversible, 1/2" #D;-drive 3 #ü;wheel nut sockets No 51IMP K, sizes 17 (green), 19 (blue), 21 mm (red)

1 #ü;extension No 509QR/5, 130 mm

## Advantages.

Made in Germany – torque wrench 40-200 N·m with  $\frac{1}{2}$ " QR ratchet, interchangeable, 3 wheel nut socket wrench inserts No. 51IMP K, 17 mm (green), 19 mm (blue), 20.8 mm (red), 130 mm extension, 96507214.

The handy set contains all the tools you need for quick and easy tyre changes.

There is no need to set the torque wrench back to "0" – the tightening value can remain permanently set thanks to the patented, low-wear release system with flexible bending arm.

Sturdy plastic case with carrying handle and custom-fit insert for safe transport and storage.

# Product highlights.



#### ROBUST

Particularly resilient to loads thanks to the torsion resistant body construction and hard@wearing ABS plastic.



## Flexible rod principle.

Mechanical torque wrenches from STAHLWILLE have a wear-resistant trigger system with a ¢exible rod. In contrast to conventional torque wrenches with spiral springs, the STAHLWILLE system eliminates one key work step: once the fastener has been tightened, it is not necessary to reset the wrench to >0«.



## Fast.

Rapid setting thanks to the easy-action locking lever in the handle. Ergonomically designed, non-slip adjuster with a thumb recess for fast, safe setting of the slider.



## Simple.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.

## Technologies and features.



## QuickRelease

The QuickRelease technology ensures tools cannot be inadvertently lost – while enabling rapid, safe tool changes.

# **Technical Attributes.**

# Measuring range N⋅m40-200 N⋅mMeasuring range ft⋅lb30-150 ft⋅lbNumber of tools5 pcs.Width mm (b)95 mmHeight mm (h)75 mmLength mm (L)560 mm

# Logistics data.

Depth mm (IFS)	560	
Width mm (IFS)	95	
Height mm (IFS)	75	
Length (packed, mm)	560	
Width (packed, mm)	95	
Height (packed, mm)	75	
Volume (packed, dm3)	3.99 dm3	
Art. no.	96507214	
Weight (gross, kg)	2,818	
Weight PAP (kg)	0,095	
Weight PVC (kg)	0,000	
GTIN	4018754283217	
Country of origin	GERMANY	
Region of origin	Nordrhein-Westfalen	
WEEE/ElektroG	nicht ear-pflichtig	
Customs tariff no.	82060000	
Packing standard	1	
Weight	2818 g	

# Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
96507214	721QR/20/3/1 QUICK	Wheel-fitting set No. 721QR/20/3/1 Quick 5 pcs.	4018754283217

# **GTIN-Code.**



# Images.



