



## Basic wrench w.tool carrier for insert tools

### 730a/10 Quick



Art.No. **50584010**  
 GTIN **4018754268986**  
 Model **730A/10 QUICK**

#### Label.

Torque wrench service MANOSKOP® No. 730a/10 Quick Measuring r. 180-880in lb  
 Tool holders 9 x 12 mm L. 370mm

#### Features.

- click-type
- the measuring element is only under load while force is being applied, no need for manual reset to zero
- mount for interchangeable insert/shell tools
- QuickRelease safety lock (sizes 5–65)
- rapid setting thanks to easy-action locking lever in the handle (sizes 5–65)
- ergonomically designed, non-slip adjuster with a thumb recess
- magnifying glass integrated in the display window
- optimised convex handle for strain-free working
- dual stop signal
- twin scales N·m/ft·lb and N·m/in·lb (sizes 5–80)
- on request also available as an N·m-only version without twin scale (sizes 5-65)
- can be applied for either clockwise or anticlockwise tightening by turning the inserts over
- any force applied to the tool after the 'click' or applied in the opposite direction to the current function – e.g. forcible loosening of a jammed screw - does not act on the trigger mechanism and cannot cause damage to it
- calibration using perfectControl® calibrating unit No 7794 or calibration system No 7706. Readjustment does not require disassembly.
- certificate in accordance with DIN EN ISO 6789-2:2017
- **display deviation value  $\pm 4\%$**

## Advantages.

#### Releasing

Ergonomically shaped, non-slip adjustment element with thumb recess and optimised ball handle for fatigue-free working.

Efficient. No need to reset to "0", as measuring element is only loaded during the tightening process.

Releasing torque wrench with receptacle for exchangeable plug-in tools, double stop signal (can be felt and heard), left-hand tightening by turning over the plug-in tools.

With calibration certificate, display deviation  $\pm 4\%$ .



## Product highlights.



### Fast.

Rapid setting thanks to the easy-action locking lever in the handle. Ergonomically designed, non-slip adjuster with a thumb recess for fast, safe setting of the slider.



### Simple.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.



### Flexible rod principle.

Mechanical torque wrenches from STAHLWILLE have a wear-resistant trigger system with a flexible rod. In contrast to conventional torque wrenches with spiral springs, the STAHLWILLE system eliminates one key work step: once the fastener has been tightened, it is not necessary to reset the wrench to »0«.


## Technologies and features.



### QuickRelease

The QuickRelease technology ensures tools cannot be inadvertently lost – while enabling rapid, safe tool changes.

## Technical Drawing.



## Technical Attributes.

Measuring range N·m	20-100 N·m
Measuring range in·lb	180-880 in·lb
Width mm (b)	28 mm
Size	a/10
Size square socket [inside square drive]	9 x 12 mm
Height mm (h)	23 mm
Length mm (L)	370 mm
LF	343 mm
SF	17,5 mm
Scale division [E1]	2,5 N·m
Scale division [E2]	20 in·lb

## Logistics data.

Depth mm (IFS)	371
Width mm (IFS)	50
Height mm (IFS)	35
Length (packed, mm)	400
Width (packed, mm)	50
Height (packed, mm)	45
Volume (packed, dm <sup>3</sup> )	0.9 dm <sup>3</sup>
Art. no.	50584010
Weight (gross, kg)	1,044
Weight PAP (kg)	0,000
Weight PVC (kg)	0,011
GTIN	4018754268986
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	934 g

## Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
50584020	730A/20 QUICK	Torque wrench service MANOSKOP® No. 730a/20 Quick Measuring r. 350-1750in lb Tool holders 14 x 18 mm L. 455mm	4018754269006

50584012	730A/12 QUICK	Torque wrench service MANOSKOP® No. 730a/12 Quick Measuring r. 225-1150in lb Tool holders 14 x 18 mm L. 410mm	4018754268993
50584010	730A/10 QUICK	Torque wrench service MANOSKOP® No. 730a/10 Quick Measuring r. 180-880in lb Tool holders 9 x 12 mm L. 370mm	4018754268986
50584005	730A/5 QUICK	Torque wrench service MANOSKOP® No. 730a/5 Quick Measuring r. 50-440in lb Tool holders 9 x 12 mm L. 315mm	4018754268979

## GTIN-Code.



### STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal