

Angle torque wrench MANOSKOP®

714R



Art.No. **96501040**

GTIN **4018754212774**

Model **714R/40**

Label.

Angle torque wrench MANOSKOP® No. 714R Measuring r. 40-400N·m Drive 3/4 L. 737mm

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Audited.

All our angle-controlled torque wrenches have a logging function. Using the corresponding software (this is an optional extra), it is possible to read out programmed, stored readings and archive them on the PC – for example by the serial number of the tool, date and timestamp of the tightening operation, target torque and angle and the torques and angles actually recorded.



PRODUCT IMAGE
IN PROGRESS

Electromechanical triggering.

The best of both worlds: electromechanical torque wrenches from STAHLWILLE combine the uncompromising accuracy of an electronic torque tool with the comforting tactile feedback of a mechanical trigger mechanism.



PRODUCT IMAGE
IN PROGRESS

Logging function.

Comprehensive documentation options. As many as 2000 tightening actions can be stored with timestamps.



PRODUCT IMAGE
IN PROGRESS

Versatile.

Three function modes: first peak, peak (indicating mode) and track (indicating mode).



Even more possibilities.

Additional modules such as connecting to CAQ systems with an automated interface or advanced methods such as machine capability testing (MFU) are available by request.



Even more possibilities.

Additional modules such as connecting to CAQ systems with an automated interface or advanced methods such as machine capability testing (MFU) are available by request.

Technologies and features.



QuickRelease

The QuickRelease technology ensures tools cannot be inadvertently lost – while enabling rapid, safe tool changes.



Technical Attributes.

Measuring range N-m	40-400 N-m
Measuring range ft-lb	30-300 ft-lb
Measuring range in-lb	360-3600 in-lb
External square drive (inch)	3/4
Battery type	Micro-NiMH AAA, 1.2V
Width mm (b)	95 mm
Weight with box	5665 g
Size	40
Size square socket [inside square drive]	14 x 18 mm
Height mm (h)	68 mm
Length mm (L)	737 mm

Logistics data.

Depth mm (IFS)	960
Width mm (IFS)	95
Height mm (IFS)	68
Length (packed, mm)	960
Width (packed, mm)	95
Height (packed, mm)	68
Volume (packed, dm3)	6.2016 dm3
Art. no.	96501040
Weight (gross, kg)	5,455
Weight PAP (kg)	0,322
Weight PVC (kg)	0,000
GTIN	4018754212774
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	Großgeräte B2C

Customs tariff no.	82041100
Packing standard	1
Weight	2275 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
96501001	714R/ 1	Angle torque wrench MANOSKOP® No. 714R Measuring r. 1-10N·m Drive 1/4 L. 269mm	4018754212712
96501002	714R/ 2	Angle torque wrench MANOSKOP® No. 714R Measuring r. 2-20N·m Drive 1/4 L. 269mm	4018754212729
96501004	714R/ 4	Angle torque wrench MANOSKOP® No. 714R Measuring r. 4-40N·m Drive 1/4 L. 295mm	4018754212736
96501006	714R/ 6	Angle torque wrench MANOSKOP® No. 714R Measuring r. 6-60N·m Drive 3/8 L. 427mm	4018754212743
96501010	714R/10	Angle torque wrench MANOSKOP® No. 714R Measuring r. 10-100N·m Drive 1/2 L. 500mm	4018754212750
96501020	714R/20	Angle torque wrench MANOSKOP® No. 714R Measuring r. 20-200N·m Drive 1/2 L. 594mm	4018754212767
96501040	714R/40	Angle torque wrench MANOSKOP® No. 714R Measuring r. 40-400N·m Drive 3/4 L. 737mm	4018754212774
96501065	714R/65	Angle torque wrench MANOSKOP® No. 714R Measuring r. 65-650N·m Drive 3/4 L. 980mm	4018754212781
96501080	714R/80	Angle torque wrench MANOSKOP® No. 714R Measuring r. 80-800N·m Drive 3/4 L. 1253mm	4018754212798
96501100	714R/100	Angle torque wrench MANOSKOP® No. 714R Measuring r. 100-1000N·m Drive 3/4 L. 1438mm	4018754212804

GTIN-Code.



Accessories.



96521161
Interface adaptor set



52110061
Interface adaptor



52110220
Bluetooth module für
torque wrenches

Images.

