

## Torque screwdriver TORSIOMAX

### 775/3



Art.No. **51060003**

GTIN **4018754141623**

Model **775/3**

**DREHMOMENTSCHRAUBENDREHEF**

**Label.** Torque screwdriver TORSIOMAX No. 775/3 Hex 1/4"

- Features.**
- click-type
  - for torque-controlled bolt tightening in the cN·m and in-lb ranges
  - for one-off or production runs
  - anticlockwise and clockwise tightening
  - with 1/4" internal hex drive (F 6.3 DIN 3126/ISO1173)
  - infinitely variable via micrometer scale (twist scale)
  - disengaging clutch coupling prevents the preset value being exceeded
  - the shape of the handle and its surface texture ensure safe and accurate transmission of torque
  - insert tools: For all 1/4" hex E 6.3, PHILLIPS® head screws, POZIDRIV®/ SUPADRIV®, straight-slot, TORX®, hex bits
  - certificate in accordance with DIN EN ISO 6789-2:2017
  - **display deviation value ± 6%**

## Advantages.

Releasing.

## Technical Attributes.

Measuring range cN·m	2-30 cN·m
Size	3 1)
Internal hex drive [inch]	1/4 "
Length mm (L)	105 mm
Scale division [E1]	0,2 cN·m

## Logistics data.

Depth mm (IFS)	256
Width mm (IFS)	52
Height mm (IFS)	52
Length (packed, mm)	256
Width (packed, mm)	52
Height (packed, mm)	52

<b>Volume (packed, dm3)</b>	0.692224 dm3
<b>Art. no.</b>	51060003
<b>Weight (gross, kg)</b>	0,265
<b>Weight PAP (kg)</b>	0,000
<b>Weight PVC (kg)</b>	0,066
<b>GTIN</b>	4018754141623
<b>Country of origin</b>	JAPAN
<b>Region of origin</b>	Ausländischer Ursprung
<b>WEEE/ElektroG</b>	nicht ear-pflichtig
<b>Customs tariff no.</b>	82041100
<b>Packing standard</b>	1
<b>Weight</b>	55 g

## Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
51060003	775/3 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/3 Hex 1/4"	4018754141623
51060012	775/12 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/12 Hex 1/4"	4018754141630
51060030	775/30 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/30 Hex 1/4"	4018754150946
51060050	775/50 N DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/50 Hex 1/4"	4018754141647
51060100	775/100 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/100 Hex 1/4"	4018754141654
51460003	775A/3 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/3 Hex 1/4"	4018754142255
51460012	775A/12 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/12 Hex 1/4"	4018754142262
51460050	775A/50 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/50 Hex 1/4"	4018754142279

## GTIN-Code.



4 018754 141623



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal