



IMPACT socket

2609

Art.No. 26090027

GTIN **4018754016495**

Model 2609 27

Label. IMPACT socket 1 " 27mm L.110mm

Features. • 1" #a;-drive

• for power drivers

· extra deep

· with reduced outside diameter

• Chrome Alloy Steel, gunmetal finish

Advantages.

1" inner square drive.

Product highlights.



Resilient.

IMPACT sockets are made from high rade chrome alloy steel. They are hardened in an oil bath to ensure they are normalised and non-warping, making them extremely accurate tools with very close tolerances.



Optimized functionality.


All IMPACT sockets have a straight-through central bore for the locking pin and a deep groove for the O-ring to improve grip. The locking pin is not under load during use.



High fitting accuracy.

The remarkable fitting accuracy, which is due to very tight tolerances, guarantees minimum loss of force as the impact is transferred from the impact screwdriver to the socket insert and also guarantees dramatically improved durability.

Technical Drawing.



Technical Attributes.

Drive profile	hex
Internal square drive (inch)	1 "
d1	42,3 mm
d2	54 mm
Length mm (L)	110 mm
Width across flats [mm]	27 mm
t	80 mm

Logistics data.

Depth mm (IFS)	110	
Width mm (IFS)	55	
Height mm (IFS)	55	
Length (packed, mm)	120	
Width (packed, mm)	120	
Height (packed, mm)	60	
Volume (packed, dm3)	0.864 dm3	
Art. no.	26090027	
Weight (gross, kg)	2,012	
Weight PAP (kg)	0,000	
Weight PVC (kg)	0,007	
GTIN	4018754016495	
Country of origin	GERMANY	
Region of origin	Nordrhein-Westfalen	
WEEE/ElektroG	nicht ear-pflichtig	
Customs tariff no.	82042000	
Packing standard	2	
Weight	1001 g	

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
26090027	2609 27	IMPACT socket 1 " 27mm L.110mm	4018754016495
26090030	2609 30	IMPACT socket 1 " 30mm L.110mm	4018754016501
26090032	2609 32	IMPACT socket 1 " 32mm L.110mm	4018754016518
26090033	2609 33	IMPACT socket 1 " 33mm L.110mm	4018754016525

GTIN-Code.

