

Service MANOSKOP® torque wrenches w. permanently installed fine-tooth ratchet

730NR/5 FK



Art.No. 96503105
GTIN 4018754229376
Model 730NR / 5FK



Label.

Torque wrench service MANOSKOP® No. 730NR/5 FK Measuring r. 7-37ft lb Drive 3/8 L. 364mm

Features.

- in sturdy plastic box (size 65 in steel box)
- **deviation of indication $\pm 4\%$**

Advantages.

Display deviation $\pm 4\%$.

Product highlights.



Flexible rod principle.

Mechanical torque wrenches from STAHLWILLE have a wear-resistant trigger system with a flexible rod. In contrast to conventional torque wrenches with spiral springs, the STAHLWILLE system eliminates one key work step: once the fastener has been tightened, it is not necessary to reset the wrench to »0«.



Simple.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.



Clear view.


Easy-to-read dual scale with colour differentiation between the N·m and ft.lb scales to simplify fine setting.



Clicking.

When the target torque is reached, MANOSKOP® 730N provides a noticeable tactile dual stop signal.

Technical Drawing.



Technical Attributes.

| | |
|------------------------------|------------|
| Measuring range N·m | 10-50 N·m |
| Measuring range ft·lb | 7-37 ft·lb |
| External square drive (inch) | 3/8 |
| b1 | 28 mm |
| b2 | 33 mm |
| Width mm (b) | 90 mm |
| Fine scale division | 0,25 N·m |
| Weight with box | 1763 g |
| Size | 5 FK |
| Height mm (h) | 75 mm |
| Height mm (h1) | 23 mm |
| Height mm (h2) | 24 mm |
| Length mm (L) | 364 mm |
| LF | 280,5 mm |
| Scale division [E1] | 5 N·m |
| Scale division [E2] | 1 ft·lb |

Logistics data.

| | |
|-----------------------------------|----------------------|
| Depth mm (IFS) | 560 |
| Width mm (IFS) | 90 |
| Height mm (IFS) | 75 |
| Length (packed, mm) | 560 |
| Width (packed, mm) | 90 |
| Height (packed, mm) | 75 |
| Volume (packed, dm ³) | 3.78 dm ³ |
| Art. no. | 96503105 |
| Weight (gross, kg) | 1,575 |
| Weight PAP (kg) | 0,095 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754229376 |
| Country of origin | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 973 g |

Variants.

| Art. no. | Art. no. (ERP) | Description | GTIN |
|----------|----------------|--|---------------|
| 96503105 | 730NR / 5FK | Torque wrench service MANOSKOP® No. 730NR/5 FK Measuring r. 7-37ft lb Drive 3/8 L. 364mm | 4018754229376 |
| 96503110 | 730NR / 10FK | Torque wrench service MANOSKOP® No. 730NR/10 FK Measuring r. 15-75ft lb Drive 1/2 L. 420mm | 4018754229383 |

| | | | |
|----------|----------------|---|---------------|
| 96503120 | 730NR / 20FK | Torque wrench service MANOSKOP® No. 730NR/20 FK Measuring r. 30-150ft lb Drive 1/2 L. 513,5mm | 4018754229390 |
| 96502140 | 730NR/40 FK | Torque wrench service MANOSKOP® No. 730NR/40 FK Measuring r. 60-300ft lb Drive 3/4 L. 657mm | 4018754180523 |
| 96502265 | 730NR/65 FK-HD | Torque wrench service MANOSKOP® No. 730NR/65 FK-HD Measuring r. 100-480ft lb Drive 3/4 L. 944mm | 4018754221554 |

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal