



Torque wrench service set MANOSKOP®

730QUICK/735/4

Art.No. **91388078**

GTIN **4018754323296**

Model **730QUICK/735/4**

Label. Torque wrench service set MANOSKOP® with holder for inserting tools No. 730QUICK/735/4 4 pcs.

Features. **Contents 4 parts:**
2 torque wrenches 730QUICK series, 8-40 N·m, 40-200 N·m
2 fine-tooth ratchets, 3/8" + 1/2", 60 teeth, working angle 6°

Top feature of the torque wrench:

- click-type
- the measuring element is only under load while force is being applied, no need for manual reset to zero
- mount for interchangeable insert/shell tools
- QuickRelease safety lock
- rapid setting thanks to easy-action locking lever in the handle
- ergonomically designed, non-slip adjuster with a thumb recess
- optimised convex handle for strain-free working
- dual stop signal
- can be applied for either clockwise or anticlockwise tightening by turning the inserts over
- any force applied to the tool after the 'click' or applied in the opposite direction to the current function – e.g. forcible loosening of a jammed screw - does not act on the trigger mechanism and cannot cause damage to it
- calibration using perfectControl® calibrating unit No 7794 or calibration system No 7706. Readjustment does not require disassembly.
- With certificate
- display deviation value $\pm 4\%$

Advantages.

Releasing

Product highlights.



ROBUST.

Particularly resilient to loads thanks to the torsion resistant body construction and hardwearing ABS plastic.



UNMISTAKEABLE.

The laser-cut map on the inside of the lid provides an excellent overview of the tools contained in the case.



Flexible rod principle.

Mechanical torque wrenches from STAHLWILLE have a wear-resistant trigger system with a flexible rod. In contrast to conventional torque wrenches with spiral springs, the STAHLWILLE system eliminates one key work step: once the fastener has been tightened, it is not necessary to reset the wrench to »0«.



Fast.

Rapid setting thanks to the easy-action locking lever in the handle. Ergonomically designed, non-slip adjuster with a thumb recess for fast, safe setting of the slider.



Simple.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.

Technical Attributes.

Number of tools	4 pcs.
Width mm (b)	285 mm
Height mm (h)	85 mm
Length mm (L)	480 mm

Logistics data.

Depth mm (IFS)	480
Width mm (IFS)	285
Height mm (IFS)	85
Length (packed, mm)	480
Width (packed, mm)	285
Height (packed, mm)	85
Volume (packed, dm ³)	11.628 dm ³
Art. no.	91388078
Weight (gross, kg)	3,588
Weight PAP (kg)	0,219
Weight PVC (kg)	0,000
GTIN	4018754323296

Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	3588 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
91388078	730QUICK/735/4	Torque wrench service set MANOSKOP® with holder for inserting tools No. 730QUICK/735/4 4 pcs.	4018754323296

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal