

Angle torque wrench MANOSKOP®

714R



Art.No. 96501004

GTIN 4018754212736

Model 714R/ 4

Label.

Angle torque wrench MANOSKOP® No. 714R Measuring r. 4-40N·m Drive 1/4 L. 295mm

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Audited.

All our angle-controlled torque wrenches have a logging function. Using the corresponding software (this is an optional extra), it is possible to read out programmed, stored readings and archive them on the PC – for example by the serial number of the tool, date and timestamp of the tightening operation, target torque and angle and the torques and angles actually recorded.



PRODUCT IMAGE
IN PROGRESS

Electromechanical triggering.

The best of both worlds: electromechanical torque wrenches from STAHLWILLE combine the uncompromising accuracy of an electronic torque tool with the comforting tactile feedback of a mechanical trigger mechanism.



PRODUCT IMAGE
IN PROGRESS

Logging function.

Comprehensive documentation options. As many as 2000 tightening actions can be stored with timestamps.



PRODUCT IMAGE
IN PROGRESS

Versatile.

Three function modes: first peak, peak (indicating mode) and track (indicating mode).

PRODUCT IMAGE
IN PROGRESSPRODUCT IMAGE
IN PROGRESS**Even more possibilities.**

Additional modules such as connecting to CAQ systems with an automated interface or advanced methods such as machine capability testing (MFU) are available by request.

Even more possibilities.

Additional modules such as connecting to CAQ systems with an automated interface or advanced methods such as machine capability testing (MFU) are available by request.

Technologies and features.

**QuickRelease**

The QuickRelease technology ensures tools cannot be inadvertently lost – while enabling rapid, safe tool changes.



Technical Attributes.

| | |
|--|-------------------------|
| Measuring range N·m | 4-40 N·m |
| Measuring range ft·lb | 3-30 ft·lb |
| Measuring range in·lb | 36-360 in·lb |
| External square drive (inch) | 1/4 |
| Battery type | Micro-NiMH AAA, 1.2V |
| Width mm (b) | 80 mm |
| Weight with box | 907 g |
| Size | 4 |
| Size square socket [inside square drive] | 9 x 12 mm |
| Height mm (h) | 70 mm |
| Length mm (L) | 295 mm |

Logistics data.

| | |
|-----------------------------------|-----------------------|
| Depth mm (IFS) | 560 |
| Width mm (IFS) | 80 |
| Height mm (IFS) | 70 |
| Length (packed, mm) | 560 |
| Width (packed, mm) | 80 |
| Height (packed, mm) | 70 |
| Volume (packed, dm ³) | 3.136 dm ³ |
| Art. no. | 96501004 |
| Weight (gross, kg) | 1,135 |
| Weight PAP (kg) | 0,095 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754212736 |
| Country of origin | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| WEEE/ElektroG | Kleingeräte B2C |

| | |
|---------------------------|----------|
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 482 g |

Variants.

| Art. no. | Art. no. (ERP) | Description | GTIN |
|----------|----------------|---|---------------|
| 96501001 | 714R/ 1 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 1-10N·m Drive 1/4 L. 269mm | 4018754212712 |
| 96501002 | 714R/ 2 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 2-20N·m Drive 1/4 L. 269mm | 4018754212729 |
| 96501004 | 714R/ 4 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 4-40N·m Drive 1/4 L. 295mm | 4018754212736 |
| 96501006 | 714R/ 6 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 6-60N·m Drive 3/8 L. 427mm | 4018754212743 |
| 96501010 | 714R/10 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 10-100N·m Drive 1/2 L. 500mm | 4018754212750 |
| 96501020 | 714R/20 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 20-200N·m Drive 1/2 L. 594mm | 4018754212767 |
| 96501040 | 714R/40 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 40-400N·m Drive 3/4 L. 737mm | 4018754212774 |
| 96501065 | 714R/65 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 65-650N·m Drive 3/4 L. 980mm | 4018754212781 |
| 96501080 | 714R/80 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 80-800N·m Drive 3/4 L. 1253mm | 4018754212798 |
| 96501100 | 714R/100 | Angle torque wrench MANOSKOP® No. 714R Measuring r. 100-1000N·m Drive 3/4 L. 1438mm | 4018754212804 |

GTIN-Code.



Accessories.



96521161
Interface adaptor set



52110061
Interface adaptor



52110220
Bluetooth module für
torque wrenches

Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal