

## Combination spanner OPEN BOX, metric

### OPEN BOX 13



Art.No. **40081010**  
GTIN **4018754018758**  
Model **OPEN BOX 13 10**



#### Label.

Combination spanner OPEN BOX long Spanner size 10 mm L.125mm

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

#### More robust.

When force is applied to a spanner, the greatest force acts on the area between the jaw and the shank, which is why STAHLWILLE spanners are reinforced at this point. The special design makes the load zones more resilient, which reduces the risk of breakage to a minimum.



PRODUCT IMAGE  
IN PROGRESS

#### Excellent workmanship.

The spanner is made from high-quality forged chrome alloy steel, giving it outstanding robustness and durability, even in continuous and prolonged use. It also has a corrosion-resistant chrome-plated finish.



PRODUCT IMAGE  
IN PROGRESS

#### Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



PRODUCT IMAGE  
IN PROGRESS

#### Slimmer.

Extremely thin-walled rings facilitate work in confined spaces. In addition, the rings are higher than standard nuts – which prevents the spanner seizing on the nut.

## Technologies and features.



Double T-profile




Offset Shaft Design



Anti-Slip-Drive

The AS-Drive® profile enables highforce transmission without damaging the fasteners. While the force acts on the flats of the screws, the corners are left free and are not rounded off.

## Technical Drawing.



## Technical Attributes.

a1	4,8 mm
a2	7 mm
Width mm (b)	23 mm
d	14,8 mm
DIN	DIN 3113 Form A
Length mm (L)	125 mm
Jaw angle	15 °
Spanner width 1 [mm]	10 mm
Ringstellung	15 °
Spanner width 2 [mm]	10 mm
t	10 mm

## Logistics data.

Depth mm (IFS)	128
Width mm (IFS)	23
Height mm (IFS)	10
Length (packed, mm)	140
Width (packed, mm)	62
Height (packed, mm)	37
Volume (packed, dm <sup>3</sup> )	0.32116 dm <sup>3</sup>
Art. no.	40081010
Weight (gross, kg)	0,355
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754018758

<b>Country of origin</b>	GERMANY
<b>Region of origin</b>	Nordrhein-Westfalen
<b>WEEE/ElektroG</b>	nicht ear-pflichtig
<b>Customs tariff no.</b>	82041100
<b>Packing standard</b>	10
<b>Weight</b>	35 g

## Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
40085500	OPEN BOX 13 5,5	Combination spanner OPEN BOX long Spanner size 5.5 mm L.100mm	4018754019052
40080606	OPEN BOX 13 6	Combination spanner OPEN BOX long Spanner size 6 mm L.105mm	4018754018710
40080707	OPEN BOX 13 7	Combination spanner OPEN BOX long Spanner size 7 mm L.110mm	4018754018727
40080808	OPEN BOX 13 8	Combination spanner OPEN BOX long Spanner size 8 mm L.115mm	4018754018734
40080909	OPEN BOX 13 9	Combination spanner OPEN BOX long Spanner size 9 mm L.120mm	4018754018741
40081010	OPEN BOX 13 10	Combination spanner OPEN BOX long Spanner size 10 mm L.125mm	4018754018758
40081111	OPEN BOX 13 11	Combination spanner OPEN BOX long Spanner size 11 mm L.135mm	4018754018765
40081212	OPEN BOX 13 12	Combination spanner OPEN BOX long Spanner size 12 mm L.140mm	4018754018772
40081313	OPEN BOX 13 13	Combination spanner OPEN BOX long Spanner size 13 mm L.160mm	4018754018789
40081414	OPEN BOX 13 14	Combination spanner OPEN BOX long Spanner size 14 mm L.165mm	4018754018796
40081515	OPEN BOX 13 15	Combination spanner OPEN BOX long Spanner size 15 mm L.170mm	4018754018802
40081616	OPEN BOX 13 16	Combination spanner OPEN BOX long Spanner size 16 mm L.180mm	4018754018819
40081717	OPEN BOX 13 17	Combination spanner OPEN BOX long Spanner size 17 mm L.190mm	4018754018826
40081818	OPEN BOX 13 18	Combination spanner OPEN BOX long Spanner size 18 mm L.200mm	4018754018833
40081919	OPEN BOX 13 19	Combination spanner OPEN BOX long Spanner size 19 mm L.230mm	4018754018840
40082020	OPEN BOX 13 20	Combination spanner OPEN BOX long Spanner size 20 mm L.230mm	4018754018857
40082121	OPEN BOX 13 21	Combination spanner OPEN BOX long Spanner size 21 mm L.260mm	4018754018864

40082222	OPEN BOX 13 22	Combination spanner OPEN BOX long Spanner size 22 mm L.260mm	4018754018871
40082323	OPEN BOX 13 23	Combination spanner OPEN BOX long Spanner size 23 mm L.280mm	4018754018888
40082424	OPEN BOX 13 24	Combination spanner OPEN BOX long Spanner size 24 mm L.280mm	4018754018895
40082525	OPEN BOX 13 25	Combination spanner OPEN BOX long Spanner size 25 mm L.300mm	4018754018901
40082626	OPEN BOX 13 26	Combination spanner OPEN BOX long Spanner size 26 mm L.300mm	4018754018918
40082727	OPEN BOX 13 27	Combination spanner OPEN BOX long Spanner size 27 mm L.300mm	4018754018925
40082828	OPEN BOX 13 28	Combination spanner OPEN BOX long Spanner size 28 mm L.320mm	4018754018932
40082929	OPEN BOX 13 29	Combination spanner OPEN BOX long Spanner size 29 mm L.330mm	4018754018949
40083030	OPEN BOX 13 30	Combination spanner OPEN BOX long Spanner size 30 mm L.330mm	4018754018956
40083232	OPEN BOX 13 32	Combination spanner OPEN BOX long Spanner size 32 mm L.360mm	4018754018963
40083434	OPEN BOX 13 34	Combination spanner OPEN BOX long Spanner size 34 mm L.450mm	4018754018987
40083636	OPEN BOX 13 36	Combination spanner OPEN BOX long Spanner size 36 mm L.460mm	4018754019007
40083838	OPEN BOX 13 38	Combination spanner OPEN BOX long Spanner size 38 mm L.480mm	4018754019014
40084141	OPEN BOX 13 41	Combination spanner OPEN BOX long Spanner size 41 mm L.480mm	4018754019021
40084646	OPEN BOX 13 46	Combination spanner OPEN BOX long Spanner size 46 mm L.500mm	4018754019038
40085050	OPEN BOX 13 50	Combination spanner OPEN BOX long Spanner size 50 mm L.530mm	4018754019045
40085555	OPEN BOX 13 55	Combination spanner OPEN BOX long Spanner size 55 mm L.560mm	4018754019069
40086060	13 60	Combination spanner OPEN BOX long Spanner size 60 mm L.590mm	4018754019076

## GTIN-Code.





**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal