



Combination ratcheting spanner, inch, double hex.

OPEN RATCH 17a



Art.No. **41471616**
GTIN **4018754331499**
Model **OPEN RATCH 17a 1/4 15°**



Label.

Combination ratcheting spanner Spanner size null" L.134mm

Features.

- inch width across flats
- ring side angled 15°, jaw position 15°
- reinforced connection between jaw and shank
- 72 teeth, working angle 5°
- controlled right-left tightening thanks to the switch on the ring
- stable, slim and lightweight design
- right-left tightening by switching on the ring side
- high flexural strength thanks to double-T profile
- STAHLWILLE round finish for a pleasant, non-slip feel
- drop-forged, hardened and cooled in an oil bath
- Chrome-Alloy-Steel, chrome-plated

Advantages.

STAHLWILLE rcombination ratcheting spanner , interchangeable, ring end angled 15° with bi-hexagon, length 134 mm, chrome alloy steel, chrome-plated, 41471616

Right/left tightening by switching on the ring side.

The integrated 72-sprocket ratchet provides a working angle of only 5° – facilitating efficient working even in confined spaces.

High-quality, non-slip surface texture – for safe working even with oily hands

Product highlights.



Integrated ratchet.

Our combination ratcheting spanners have an integrated fine-toothed ratchet. You do not need to change your grip or remove and reattach the tool multiple times. The bolt can be tightened quickly and efficiently without stopping, as when using a ratchet.



Excellent workmanship.

The spanner is made from high-quality forged chrome alloy steel, giving it outstanding robustness and durability, even in continuous and prolonged use. It also has a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



In every way.

Our combination ratcheting spanners are available in different versions (metric, imperial, angled, flat) and also as sets in roll-up pouches or TCS inserts.

Technologies and features.



Double T-profile



Offset Shaft Design

Technical Drawing.



Technical Attributes.

Number of teeth	72
Working angle	5 °
Width mm (b)	18 mm
d	17,5 mm
Length mm (L)	134 mm
Jaw angle	15 °
Spanner width 1 [inch]	1/4 "
Spanner width s 2 [inch]	1/4 "

Logistics data.

Depth mm (IFS)	134
Width mm (IFS)	18
Height mm (IFS)	11
Length (packed, mm)	175
Width (packed, mm)	100
Height (packed, mm)	12
Volume (packed, dm3)	0.21 dm3
Art. no.	41471616
Weight (gross, kg)	0,038
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754331499
Country of origin	TAIWAN, PROVINCE OF CHINA
Region of origin	Ausländischer Ursprung
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	34 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
41471616	OPEN RATCH 17a 1/4 15°	Combination ratcheting spanner Spanner size null" L.134mm	4018754331499
41472020	OPEN RATCH 17a 5/16 15°	Combination ratcheting spanner Spanner size null" L.141mm	4018754331505
41472424	OPEN RATCH 17a 3/8 15°	Combination ratcheting spanner Spanner size null" L.156mm	4018754331512

41472828	OPEN RATCH 17a 7/16 15°	Combination ratcheting spanner Spanner size null" L.160mm	4018754331529
41473232	OPEN RATCH 17a 1/2 15°	Combination ratcheting spanner Spanner size null" L.180mm	4018754331536
41473434	OPEN RATCH 17a 9/16 15°	Combination ratcheting spanner Spanner size null" L.190mm	4018754331543
41473636	OPEN RATCH 17a 5/8 15°	Combination ratcheting spanner Spanner size null" L.210mm	4018754331550
41473838	OPEN RATCH 17a 11/16 15°	Combination ratcheting spanner Spanner size null" L.226mm	4018754331567
41474040	OPEN RATCH 17a 3/4 15°	Combination ratcheting spanner Spanner size null" L.252mm	4018754331574
41474242	OPEN RATCH 17a 13/16 15°	Combination ratcheting spanner Spanner size null" L.272mm	4018754331581
41474444	OPEN RATCH 17a 7/8 15°	Combination ratcheting spanner Spanner size null" L.281mm	4018754331598
41474848	OPEN RATCH 17a 1	Combination ratcheting spanner Spanner size null" L.295mm	4018754331604

GTIN-Code.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal